ELSEVIER

Neuroscience Letters 328 (2002) 333–336

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 328

Volume 328, no. 1

Guidelines for the submission of manuscripts v

Mutation analysis and association studies of the ubiquitin carboxy-terminal hydrolase L1 gene in Huntington's disease
P. Nazé, I. Vuillaume, A. Destée, F. Pasquier, B. Sablonnière (France) 1

Comparison of the binding of [^{3}H]nociceptin/orphaninFQ(1–13)NH_2, [^{3}H]nociceptin/orphaninFQ(1–17)OH and [^{125}I]Tyr^{14}nociceptin/orphaninFQ (1–17)OH to recombinant human and native rat cerebrocortical nociceptin/orphanin FQ receptors
E. Hashiba, D.G. Lambert, J. Farkas, G. Toth, G. Smith (UK, Hungary) 5

Genetic variation in the cholesterol 24-hydroxylase (CYP46) gene and the risk of Alzheimer's disease
P. Desai, S.T. DeKosky, M.I. Kamboh (USA) 9

Expiratory resistive loaded breathing in humans increases fluctuations of force production in submaximal isometric quadriceps contractions
D.L. Turner (UK) 13

Delay modulates spectral correlates in the human EEG of non-verbal auditory working memory
D.A. Peterson, M.H. Thaut (USA) 17

Cryopreservation and primary culture of cerebral neurons from cynomolgus monkeys (*Macaca fascicularis*)
T. Negishi, Y. Ishii, S. Kawamura, Y. Kuroda, Y. Yoshikawa (Japan) 21

Differential effects of novel wasp toxin on rat hippocampal interneurons
T. Miyawaki, H. Tsubokawa, H. Yokota, K. Oguro, K. Konno, T. Masuzawa, N. Kawai (Japan, Brazil) 25

Attentional modulation of human pain processing in the secondary somatosensory cortex: a magnetoencephalographic study
Y. Nakamura, R. Paur, R. Zimmermann, B. Bromm (Germany) 29

Allopregnanolone attenuates *N*-methyl-D-aspartate-induced excitotoxicity and apoptosis in the human NT2 cell line in culture
E.M. Lockhart, D.S. Warner, R.D. Pearlstein, D.H. Penning, S. Mehrabani, R.-M. Boustany (USA) 33

Absence of coherence between cervical and lumbar spinal cord dorsal surface potentials in the anaesthetized cat
E. Manjarrez, H. Pérez, J.G. Rojas-Piloni, D. Vélez, L. Martínez, A. Flores (Mexico) 37

Novel object presentation affects sleep–wake behavior in rats
T. Schiffelholz, J.B. Aldenhoff (Germany) 41

Heterogeneity of pituitary adenylate cyclase-activating polypeptide and vasoactive intestinal polypeptide receptors in rat intrinsic cardiac neurons
W.I. DeHaven, J. Cuevas (USA) 45

Spatial memory testing decreases hippocampal amyloid precursor protein in young, but not aged, female rats
H.A. Bimonte, A.-C.E. Granholm, H. Seo, O. Isacson (USA) 50

Ergothioneine treatment protects neurons against *N*-methyl-D-aspartate excitotoxicity in an in vivo rat retinal model
J.A. Moncaster, D.T. Walsh, S.M. Gentleman, L.-S. Jen, O.I. Aruoma (UK) 55

Opioid control of prolactin secretion in late pregnant rats is mediated by tuberoinfundibular dopamine neurons
Z.B. Andrews, D.R. Grattan (New Zealand) 60

No evidence of association between the alpha-2 macroglobulin gene and Parkinson's disease in a case–control sample
G. Nicoletti, G. Annesi, C. Tomaino, P. Spadafora, A.A. Pasqua, F. Annesi, P. Serra, M. Caracciolo, D. Messina, M. Zappia, A. Quattrone (Italy) 65

Trait anxiety affects the pupillary light reflex in college students
M. Nagai, M. Wada, N. Sunaga (Japan) 68

No synergistic effect between − 850 tumor necrosis factor-α promoter polymorphism and apolipoprotein E ε4 allele in Alzheimer's disease
J. Infante, J. Llorca, J. Berciano, O. Combarros (Spain) 71

Effects of intrathecal injection of tamsulosin and naftopidil, alpha-1A and -1D adrenergic receptor antagonists, on bladder activity in rats
K. Sugaya, S. Nishijima, M. Miyazato, K. Ashitomi, T. Hatano, Y. Ogawa (Japan) 74

Volume 328, no. 2

Vestibulo-ocular, optokinetic and postural function in humans with rheumatoid arthritis
J. King, C. Young, J. Highton, P.F. Smith, C.L. Darlington (New Zealand) 77
Castration increases nisoxetine-evoked norepinephrine levels in vivo within the olfactory bulb of male rats
Y. Shang, D.E. Dluzen (USA) 81
Correlation between activity in neuron B52 and two features of fictive feeding in *Aplysia*
R. Nargeot, D.A. Baxter, J.H. Byrne (USA) 85
Repetitive transcranial magnetic stimulation of the supplementary motor area (SMA) degrades bimanual movement control in humans
D.J. Serrien, L.H.A. Strens, A. Oliviero, P. Brown (UK) 89
Alpha-lipoic acid prevents ethanol-induced protein oxidation in mouse hippocampal HT22 cells
M. Pirlich, K. Kiok, G. Sandig, H. Lochs, T. Grune (Germany) 93
Nerve growth factor induces systemic hyperalgesia after thoracic burn injury in the rat
M. Ueda, M. Hirose, N. Takei, T. Ibuki, Y. Naruse, F. Amaya, Y. Ibata, M. Tanaka (Japan) 97
Broca's area in the human brain is involved in the selection of grammatical gender for language production: evidence from event-related functional magnetic resonance imaging
St. Heim, B. Opitz, A.D. Friederici (Germany) 101
Deep brain stimulation of subthalamic neurons increases striatal dopamine metabolism and induces contralateral circling in freely moving 6-hydroxydopamine-lesioned rats
W. Meissner, D. Harnack, G. Paul, T. Reum, R. Sohr, R. Morgenstern, A. Kupsch (Germany) 105
Lack of association of two lipoprotein lipase polymorphisms with Alzheimer's disease
M.D. Martin-Rehrmann, H.S. Cho, G.W. Rebeck (USA) 109
Structure of visual evoked magnetic field during sleep in humans
T. Okusa, R. Kakigi (Japan) 113
Cu^{2+} inhibition of glycine-activated currents in rat sacral dorsal commissural neurons
D.-S. Wang, H.-L. Zhu, Z. Hong, J.-S. Li (China) 117
Amylin and glucose co-activate area postrema neurons of the rat
T. Riediger, H.A. Schmid, T.A. Lutz, E. Simon (Germany, Switzerland) 121
Inverse relationship between p27/Kip.1 and the F-box protein Skp2 in human astrocytic gliomas by immunohistochemistry and Western blot
D. Schiffer, P. Cavalla, V. Fiano, C. Ghimenti, R. Piva (Italy, USA) 125
Involvement of adenosine in the anti-allodynic effect of amitriptyline in streptozotocin-induced diabetic rats
A. Ulugol, H.C. Karadag, M. Tamer, Z. Firat, A. Aslantas, I. Dokmeci (Turkey) 129
Modeling both the mechanical and hypoxic features of traumatic brain injury in vitro in rats
T.F. Glass, B. Reeves, F.R. Sharp (USA) 133
Inhibitory effects of intrathecally administered interleukin-1β on carrageenan-induced hyperalgesia and spinal c-Fos expression in rats
G.-C. Ji, Y.-Q. Zhang, F. Ma, X.-D. Cao, G.-C. Wu (China) 137
Morphine microinjections into the rat nucleus submedius depress nociceptive behavior in the formalin test
Z.-J. Yang, J.-S. Tang, H. Jia (People's Republic of China) 141
Event-related skin conductance responses to musical emotions in humans
S. Khalfa, P. Isabelle, B. Jean-Pierre, R. Manon (Canada) 145
Calpain-dependent neurofilament breakdown in anoxic and ischemic rat central axons
P.K. Stys, Q. Jiang (Canada) 150
Distribution of serotonin 5-hydroxytriptamine 1B ($5\text{-}HT_{1B}$) receptors in the normal rat hypothalamus
I.G. Makarenko, M.M. Meguid, M.V. Ugrumov (USA, Russia) 155
Sex differences in delta opioid receptor immunoreactivity in rat medial amygdala
M.A. Wilson, F. Mascagni, A.J. McDonald (USA) 160
Oleamide attenuates apoptotic death in cultured rat cerebellar granule neurons
J.-Y. Yang, K. Abe, N.-J. Xu, N. Matsuki, C.-F. Wu (PR China, Japan) 165
Clearance of manganese from the rat substantia nigra following intra-nigral microinjections
S. Ponzoni, L.C.J. Gaziri, L.R.G. Britto, W.J. Barreto, D. Blum (Brazil, Belgium) 170
Adenosine-mediated activation of Akt/protein kinase B in the rat hippocampus in vitro and in vivo
L.M. Gervitz, D. Nalbant, S.C. Williams, J.C. Fowler (USA) 175
Granulocyte macrophage-colony stimulating factor activates microglia in rat cortex organotypic brain slices
C. Schermer, C. Humpel (Austria) 180
1,2,3,4,6-Penta-*O*-galloyl-beta-D-glucose protects rat neuronal cells (Neuro 2A) from hydrogen peroxide-mediated cell death via the induction of heme oxygenase-1
B.-M. Choi, H.-J. Kim, G.-S. Oh, H.-O. Pae, H. Oh, S. Jeong, T.-O. Kwon, Y.-M. Kim, H.-T. Chung (South Korea) 185
Spatial summation of pain processing in the human brain as assessed by cerebral event related potentials

A.C.N. Chen, D.M. Niddam, H.J. Crawford, R. Oostenveld, L. Arendt-Nielsen (Denmark, USA, The Netherlands) 190
Alpha-2 macroglobulin I1000V polymorphism in Chinese sporadic Alzheimer's disease and Parkinson's disease
G. Tang, M. Zhang, H. Xie, S. Jiang, Z. Wang, L. Xu, Y. Hao, D. Lin, H. Lan, Y. Wang, L. Chen, D. Ren (PR China) 195
The cytosolic inclusion bodies that consist of splice variants that lack exon 5 of the presenilin-2 gene differ obviously from Hirano bodies observed in the brain from sporadic cases of Alzheimer's disease patients
T. Manabe, T. Katayama, N. Sato, T. Kudo, S. Matsuzaki, K. Imaizumi, M. Tohyama (Japan) 198
Possible involvement of tetrahydrobiopterin in the trophic effect of insulin-like growth factor-1 on rat pheochromocytoma-12 (PC12) cells
J. Tanaka, K. Koshimura, Y. Murakami, Y. Kato (Japan) 201

Contents continued 204

Volume 328, no. 3

The novel catecholaminergic and serotoninergic activity enhancer *R*-(−)-1-(benzofuran-2-yl)-2-propylaminopentane up-regulates neurotrophic factor synthesis in mouse astrocytes
K. Ohta, M. Ohta, I. Mizuta, A. Fujinami, S. Shimazu, N. Sato, F. Yoneda, K. Hayashi, S. Kuno (Japan) 205
Selective activation of the A10, but not A9, dopamine neurons in the rat by the predator odor, 2,5-dihydro-2,4,5-trimethylthiazoline
A.J. Redmond, B.A. Morrow, J.D. Elsworth, R.H. Roth (USA) 209
Proliferating cells can differentiate into neurons in the striatum of normal adult monkey
A. Bédard, M. Cossette, M. Lévesque, A. Parent (Canada) 213
Abnormal expression of cdk5 in focal cortical dysplasia in humans
S.M. Sisodiya, M. Thom, W.-R. Lin, N.P.S. Bajaj, J.H. Cross, B.N. Harding (UK) 217
Neurotrophic factors and depolarization do not enhance viability and process regrowth on a purified set of chick embryo retinal ganglion cells
M.A. Brocco, P. Panzetta (Argentina) 221
Relationship between brain structure and saccadic eye movements in healthy humans
U. Ettinger, V. Kumari, X.A. Chitnis, P.J. Corr, A.L. Sumich, S. Rabe-Hesketh, T.J. Crawford, T. Sharma (UK) 225
Unfractionated heparin is associated with a lower rise of serum vascular cell adhesion molecule-1 in acute ischemic stroke patients
Á. Chamorro, Á. Cervera, J. Castillo, A. Dávalos, J.J. Aponte, A.M. Planas (Spain) 229
Brain circuits involved in emotional learning in antisocial behavior and social phobia in humans
R. Veit, H. Flor, M. Erb, C. Hermann, M. Lotze, W. Grodd, N. Birbaumer (Germany, Italy) 233
Smaller left hemisphere planum temporale in adults with autistic disorder
D.C. Rojas, S.D. Bawn, T.L. Benkers, M.L. Reite, S.J. Rogers (USA) 237
Effects of A_1 and A_{2A} adenosine receptor ligands in mouse acute models of pain
E. Bastia, K. Varani, A. Monopoli, R. Bertorelli (Italy) 241
A comparative study on the cortico-hypoglossal connections in primates, using biotin dextranamine
U. Jürgens, M. Alipour (Germany) 245
Adenoviral gene transfer of aspartoacylase into the tremor rat, a genetic model of epilepsy, as a trial of gene therapy for inherited epileptic disorder
T. Seki, H. Matsubayashi, T. Amano, K. Kitada, T. Serikawa, N. Sakai, M. Sasa (Japan) 249
Prenatal malnutrition-induced hypertension in young rats is prevented by neonatal capsaicin treatment
H. Pérez, S. Ruiz, R. Soto-Moyano (Chile) 253
Nogo-A expression in mouse central nervous system neurons
H. Liu, C.E.L. Ng, B.L. Tang (Singapore) 257
Postnatal developmental profile of brain-derived neurotrophic factor in rat brain and platelets
F. Karege, M. Schwald, M. Cisse (Switzerland) 261
N-methyl-D-aspartate receptor and L-type voltage-gated Ca^{2+} channel antagonists suppress the release of cytochrome *c* and the expression of procaspase-3 in rat hippocampus after global brain ischemia
C. Zhang, W. Shen, G. Zhang (PR China) 265
Elevated levels of Aβ1–40 and Aβ1–42 do not alter the binding sites of nicotinic receptor subtypes in the brain of APPswe and PS1 double transgenic mice
A. Marutle, C. Unger, E. Hellström-Lindahl, J. Wang, J. Puoliväli, H. Tanila, A. Nordberg, X. Zhang (Sweden, Finland) 269
Cathepsin D polymorphism in Italian sporadic and familial Alzheimer's disease
S. Bagnoli, B. Nacmias, A. Tedde, B.M. Guarnieri, E. Cellini, M. Ciantelli, C. Petruzzi, A. Bartoli, L. Ortenzi, A. Serio, S. Sorbi (Italy) 273
Excitotoxic injury induces production of monocyte chemoattractant protein-1 in rat cortico-striatal slice cultures
T. Katayama, M. Minami, M. Nakamura, M. Ito, H. Katsuki, A. Akaike, M. Satoh (Japan) 277
Effect of catechin on the activity and gene expression of superoxide dismutase in cultured rat brain astrocytes
P. Chan, J.-T. Cheng, J.-C. Tsai, G.-S. Lien, F.-C. Chen, P.-F. Kao, J.-C. Liu, Y.-J. Chen, M.-H. Hsieh (Taiwan) 281

Histamine inhibits KCNQ2/KCNQ3 channel current via recombinant histamine H_1 receptors
J. Guo, G.G. Schofield (USA) 285
Effect on motor neuron survival in mutant SOD1 (G93A) transgenic mice by Bcl-2 expression using retrograde axonal transport of adenoviral vectors
S. Yamashita, S. Mita, S. Kato, H. Okado, E. Ohama, M. Uchino (Japan) 289
Neurofibrillary tangles in the primary motor cortex in Guamanian amyotrophic lateral sclerosis/parkinsonism-dementia complex
P.R. Hof, D.P. Perl (USA) 294
Hypothalamic-pituitary-adrenocortical axis dysregulation in patients with major depression is influenced by the insertion/deletion polymorphism in the angiotensin I-converting enzyme gene
T.C. Baghai, C. Schule, P. Zwanzger, C. Minov, P. Zill, R. Ella, D. Eser, S. Oezer, B. Bondy, R. Rupprecht (Germany) 299
Relationship between the development of autoimmunity and sensorimotor gating in MRL-lpr mice with reduced IL-2 production
J.M. Petitto, Z. Huang, J. Lo, R.D. Beck Jr., C. Rinker, D.A. Hartemink (USA) 304
Asymmetry of pleasant vs. unpleasant odor processing during affective judgment in humans
M. Bensafi, C. Rouby, V. Farget, M. Vigouroux, A. Holley (France) 309
The angiotensin 1-converting enzyme insertion (I)/deletion (D) polymorphism does not influence the extent of amyloid or tau pathology in patients with sporadic Alzheimer's disease
C.L. Lendon, U. Thaker, J.M. Harris, A.M. McDonagh, J.-C. Lambert, M.-C. Chartier-Harlin, T. Iwatsubo, S.M. Pickering-Brown, D.M.A. Mann (UK, France, Japan) 314
Frontoorbital volume reductions in adult patients with attention deficit hyperactivity disorder
B. Hesslinger, L. Tebartz van Elst, T. Thiel, K. Haegele, J. Hennig, D. Ebert (Germany) 319
Spatial discrimination of one versus two test stimuli in the human skin: dissociation of mechanisms depending on the task and the modality of stimulation
I.K. Martikainen, A. Pertovaara (Finland) 322
Protein tyrosine phosphatase receptor-type C exon 4 gene mutation distribution in an Italian multiple sclerosis population
C. Ballerini, E. Rosati, M. Salvetti, G. Ristori, S. Cannoni, T. Biagioli, L. Massacesi, S. Sorbi, M. Vergelli (Italy) 325

Author Index to Volume 328 328
Contents to Volume 328 333
Contents continued 337